												DQA:	Da	ate:	
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFORM	MANCE / UF	PDATE			-		
												QA Closed:	Da	ate:	
Work Ord	or.					DISPOSITION				AGAINST	DE	PARTMENT/	PROCESS		
Part NCR	No.					Rework Scrap Use-as-is Work Order Update		ı	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		1	Water Jet d. Eng. Coor e/Packaging Supplie		Engineering Quality Other
Root					Descri	ption of work order update	l	nitial	А	ction		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Des	cription		Date	Verification	on	QC Inspector
Doc/Data	\Box														
Equip/Tooling									-						
Operator				}											
Material															
Setup															
Other	П			<u> </u>											
Process	П			ļ											
Supplier			1				1								
Training															
Unapproved															
						F	AUL	T CATE	GORY						
Landi	ing G	Gear			<u></u>	General		-				-		_	,
		Bending				Bend		Grain				Ovalized			Pressure/Forced
İ		Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	re			Over/Under	tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete			Part Incorred	ct	L	Weld
		Crushed/	Crimped,			Burrs		Instruct	ions Incomplete	/Unclear		Part Lost/Mi	ssing		Wrong Stock Pulled
		Cuffs				Contamination		Mainte	enance			Part Moved			
		Heat Trea	it			Countersink		Mislabe	eled			Positioned V	Vrong		

Misread

Out of Calibration

Outside Dimensions

Out of Sequence

Offset

Power Loss/Surge

Other

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde		961		*919	961*						Page 2
Revision ID:	D3259-4 Doubler			Accept	*N900	040	100)*	Setup Star Sto	1.71	S1* S2*
Start Date: Required Date: Reference:	10/18/12 11/09/12	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:				I	
Approvals:	Process Pla	an:		_ 0 _	· · · · · · · · · · · · · · · · · · ·	ate:		1	Run Sta Sto	" []	R1* R2*
Sequence ID/ Work Center II 130 *130* Small Fab Small Fab	D	Operation Description Small Fab Memo 1-C'Sink He	oles as per Dwg D3259	Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140 *140* Brake NC Brake NC		NC BRAKE Memo Form as per	r Dwg D3259	0.00				6			- 13(oc)
*150 *150* QC		QC5- Inspect part comp	oleteness to step on W/O	0.00 15 0.00 13 15				6			

Quality Control

											DQA	4 :	ate:	
NCR:	Yes	/ No				WORK ORDER NON-O	COI	VFORM	MANCE / UP	DATE				
											QA Close	d: C	ate:	
Work Ord	er:					DISPOSITION				AGAINST DE	PARTMEN	T/PROCESS		
Part I	No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	l	Water Jo rod. Eng. Coo ore/Packagin Supplie	r.	Engineering Quality Other
Root					Descri	ption of work order update	Т	Initial	Act	ion	Sign &	<u> </u>		
Cause		Date	Step	Qty		or Non-conformance	1	nief Eng		iption	Date	Verificati	ion	QC Inspector
Doc/Data														
Equip/Tooling							1							
Operator				•										
Material							:							
Setup											ļ			
Other `				i										
Process			1											
Supplier														
Training														1
Unapproved				İ										
	_	•	<u> </u>	<u></u>	<u> </u>	F	AUL	T CATE	GORY		•	*		
Landi	ng (Gear				General								
		Bending				Bend	Г	Grain			Ovalized			Pressure/Forced
		Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	re		Over/Und	er tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incor	rect		Weld
		Crushed/	Crimped.			Burrs		Instruct	ions Incomplete/L	Inclear	Part Lost/	Missing		Wrong Stock Pulled
	${}$	Cuffs			<u> </u>	Contamination		Mainte			Part Move	ed	•	_
		Heat Trea	at			Countersink		Mislabe	led		Positioned	d Wrong		
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	i		Power Los	_		Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drill Holes

Drawing

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde October-19-12		961		*910	161*				Page 3
Item ID: Revision ID: Item Name:	D3259-4 Doubler			Accept	*N900	04010 ()* s	Setup Start Stop	*NS1* *NS2*
Start Date: Required Date: Reference:	10/18/12 : 11/09/12	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:		ē,	
Approvals:		an:		Tooling: _ SPC (Y/N):		ate:	Ą	Run Start Stop	*NR1* *NR2*
Sequence ID/ Work Center I 160 *160* HandFinish Hand Finishing	D	Operation Description Chemical Conversion Co	oat per QSI005 4.1	Set Up/ Run Hours 0.00	Tool ID	Tool # Plan Code	Accept Qty	Qty 1	Reject Insp. Number Stamp
170 *170* QC Quality Control		QC3- Inspect Part Finisl Memo	1	0.00 35 0.00	33		6		
180 *180* Packaging		Identify as per dwg & St	tock Location: <u>5<i>1</i>/8</u> /	0.00			6		(3-01-23

Packaging

									DQA:	Date:	
NCR: Y	es / No				WORK ORDER NON-C	CONFORM	MANCE / UP		QA Closed:	Date:	
Work Orde	er:			!	DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part N					Rework Scrap Use-as-is Work Order Update		Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root				Descri	ption of work order update	Initial	Ac ⁴	tion	Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data											
quip/Tooling											
Operator [!]				
√aterial						:					
Setup							1				
Other											

FAULT CATEGORY Landing Gear General Pressure/Forced Bending Bend Grain Ovalized Centre Not Concentric to O/S BOM/Route Temperature/Cure Over/Under tolerance Hardware Cracks Broken/Damaged Inspection Incomplete Weld Part Incorrect Crushed/Crimped. Burrs Instructions Incomplete/Unclear Part Lost/Missing Wrong Stock Pulled Cuffs Maintenance Part Moved Contamination Heat Treat Countersink Mislabeled Positioned Wrong Inspection Strip in Tube Power Loss/Surge Other **Cut Too Short** Misread Ripples in Bend Drill Holes Offset Drawing Out of Calibration Torque Waves in Extrusion Turning Sequence Out of Sequence Finish

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

Folio

Process
Supplier
Training
Unapproved

Work Ord October-19-12				*919	161*							Page 4
Item ID: Revision ID: Item Name:	D3259-4 Doubler			Accept	*N900	040	100)*	Setup	Start Stop	1 71	S1* S2*
Start Date: Required Date Reference:	10/18/12 : 11/09/12	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item II Customer:	D:						
Approvals:	Process P QC:	lan:	Date:	Tooling: SPC (Y/N):		te:		Ì	Run	Start Stop		R1* R2*
Sequence ID/ Work Center 190 *190* QC Quality Control	ID	Operation Description QC21- Final Inspection Memo	- Work Order Release	Set Up/ Run Hours 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Re Qt	13/1	Reject Number	Insp. Stamp

												DQA:	Dat	te:	
NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORN	MANCE / UPI	DATE		·		•	
· · · · · · · · · · · · · · · · · · ·						<u> </u>				· · · · · · · · · · · · · · · · · · ·		QA Closed:	Dat	te:	
Work Orde	or:					DISPOSITION		İ		AGAINST D	ΕF	PARTMENT	PROCESS		
VVOIR OTAL						Rework	7		Skid-tube	Crosstube	7		Water Jet		Engineering
Part N	No.					Scrap	┨ .		Machining	Small Fab		Pro	d. Eng. Coor.		Quality
	_					Use-as-is		Therm	oforming	Finishing		Rec/Stor	re/Packaging		Other
NCR 1	No					Work Order Update			Large Fab	Composite			Supplier		
Root					Descrip	otion of work order update	T	Initial	Act	ion		Sign &			
Cause		Date	Step	Qty		or Non-conformance	Cł	nief Eng	Descr	iption		Date	Verification	n	QC Inspector
Doc/Data	Ц														
Equip/Tooling	Ш										1				
Operator	Ш														
Material															
Setup	Ш											•			
Other															
Process			İ												
Supplier															
Training															
Unapproved			ł												
							FAU	LT CATE	GORY						
Landi	ng G	ear				General		_				-		_	-
		Bending				Bend	L	Grain		<u> </u>		Ovalized			Pressure/Forced
	Ш	Centre N	ot Conce	ntric to O,	/s	BOM/Route	L	Hardwa	re			Over/Under	tolerance		Temperature/Cure
	Ш	Cracks				Broken/Damaged	L	Inspecti	on Incomplete	L		Part Incorre	ct	L	Weld
		Crushed/	Crimped	-		Burrs		Instruct	ions Incomplete/l	Jnclear		Part Lost/M	issing	L	Wrong Stock Pulled
		Cuffs				Contamination		Mainte	nance			Part Moved			
		Heat Trea	at			Countersink		Mislabe	led	Γ		Positioned V	Vrong		_
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	l			Power Loss/	'Surge		Other
	П	Ripples ir	n Bend			Drill Holes		Offset		_		-			

Out of Calibration

Out of Sequence

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

Picklist Print

October-19-12 2:49:50 PM

Work Order ID:

91961

Parent Item:

D3259-4

Parent Item Name:

Doubler

Start Date: 10/18/12

Required Date: 11/09/12

Start Qty: 6.00

Required Qty: 6.00

IPP Rev: A New Issue 07-07-19 ILM

Verified By:FC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M2024T3S.063 2024-T3 .063 sheet		Purchased	No			100	sf	72.4700	1.388	8.7663156 8.8			Jmr2.10

Location	Loc Qty	Loc Code	
MAT022	72.47		
119916	0.1		
121197	16.32		
123096	56.05		123096

									DQA:	Date:	
NCR: Ye	s / No				WORK ORDER NON-C	CONFORM	MANCE / UP		QA Closed:	Date:	
Work Order:					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part No					Rework Scrap] '	Skid-tube Machining	Crosstube Small Fab		Water Jet d. Eng. Coor	Engineering Quality
NCR No)	· · · · · · · · · · · · · · · · · · ·			Use-as-is Work Order Update	Thern	noforming Large Fab	Finishing Composite	Rec/Sto	re/Packaging Supplier	Other
Root				Descri	ption of work order update	Initial	Ad	ction	Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Chief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data											
quip/Tooling											
Operator						,					
Material											
Setup											
Other										1	
Process											
Supplier											
Fraining											
Inapproved	7	1									

Landin	g Gear	General		_	_		_
	Bending	Bend		Grain	Ovalized	L	Pressure/Forced
	Centre Not Concentric to O/S	BOM/Route		Hardware	Over/Under tolerance		Temperature/Cure
	Cracks	Broken/Damaged		Inspection Incomplete	Part Incorrect		Weld
	- Grushed/Crimped	Burrs		Instructions Incomplete/Unclear	Part Lost/Missing		Wrong Stock Pulled
:	Cuffs	Contamination		Maintenance	Part Moved		
	Heat Treat	Countersink		Mislabeled	Positioned Wrong		_
	Inspection Strip in Tube	Cut Too Short		Misread	Power Loss/Surge		Other
	Ripples in Bend	Drill Holes		Offset			
	Torque Waves in Extrusion	Drawing		Out of Calibration			
	Turning Sequence	Finish		Out of Sequence			
Γ	Wave/Twist in Tube	Folio	Г	Outside Dimensions			

FAULT CATEGORY

DART AEROSPACE LTD	Work Order:	91961
Description: Doubler	Part Number:	D3259-3/-4
Inspection Dwg: D3259 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST


Drawing	Tolerance	Actual	A	Daisat	Method of	C	
Dimension	loierance	Dimension	Accept	Reject	Inspection	Comments	
9.000	+/-0.005	9.003'	-		V	Produsor	
1.000	+/-0.005	+1005 1,00°	" —		U	mmon	
0.260	+/-0.010	0.267	_		V		
R0.25	+/-0.030	0.25	_		RG		
R0.50	+/-0.030	0.50"	_		RG		
5.000	+/-0.005	5.004"	_		1/		
0.875	+/-0.005	0,879"	_		V	-	
12.000	+/-0.005	12.003	_		V		
3.500	+/-0.005	3.502"	_		V		
0.875	+/-0.005	0.880"	_		V		
R0.13	+/-0.030	0.13"	~		RG		
0.500	+/-0.005	0,504"	-		ν		
0.525	+/-0.005	0,529"	-		V		
1.80	+/-0.030	1.785"	_		V		
Ø0.128	+0.005/-0.000	0.129"	_		V		
Ø0.377	+0.005/-0.000	0,377"	_		V		
Ø0.098	+0.005/-0.000	0.0991	_		V		
0.063 thick	+/-0.005	0.063"	_		V		
Grain Direction	N/A		-				
						-	
	1000		/ DAS	n le			


Measured by:	JM	Audited by:	25	Preliminary Approval:	
Date:	12-10-29	Date:	121030	Date:	


Revised by Approved
KJ/JLM
KJ 14 11
KJ 🕍
_


,128

















13.33 9.000 1.000 PITCH 0.260 Ø0.098 10 PL 5.96 0.549 11.250 Ø0.313 2 PL GRAIN DIRECTION D3259-7 DOOR NOTES:
1) MATERIAL: 2024-T3 ALUMINUM SHEET 0.063 THICK PER AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209
REF DART SPEC. M2024T3S.063
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3259-7" USING REMOVABLE TAG DESIGN DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWN DRAWING NO. CHECKED REV. B D3259 MFG. APPR. SHEET 8 OF 8 APPROVED TITLE SCALE 7) WEIGHT: 0.35 lbs 8) MAKE PER DWG FILE "D3259-7B.DXF ACCESS PANEL ASSEMBLY NTS DE APPR. DATE COPYRIGHT © 2004 BY DART AEROSPACE LTD
IT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLED ON THE EXPRESS CONDITION OF THE PRIVATE AND CONFIDENCE OF COMMUNICATED TO ANY OTHER PRISS. 09.08.12

3

91961